RECEIVED CENTRAL FAX CENTER NOV 1 3 2006

Serial No. 10/826,646 Art Unit: 1751

In the Claims:

Please enter the following amended claims in the application. This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 16-35 (Canceled)

Claim 36 (New): A process for treating textile fibers comprising contacting the fibers with an aqueous composition containing a compound of formula:

$$R-[O-(AO)_n-R']_m$$
 (I

wherein R is an at least monofunctional, saturated or unsaturated, alkyl group having from at least 2 up to 36 carbon atoms, m is a number from 1 to 16, and n is a number from 1 to 500, with the proviso that the product of n and m has a value of at least 1, AO independently represents C₂H₄O-, C₃H₈O- or C₄H₈O- and R', independently of each other, represents a hydrogen atom or a sulfur-containing group selected from the group consisting of OC-CH₂-S-SO₃M and SO₃M, M is a cation having at least one charge, and, wherein, at least one R' is the sulfur-containing group, whereby, pilling of the treated fibers is improved.

Claim 37 (New): The process of claim 36, wherein, the aqueous composition contains a compound of formula:

Serial No. 10/826,646

Art Unit: 1751

wherein R", independently of each other, represent a hydrogen atom or a sulfur-containing group selected from the group consisting of $OC-CH_2-S-SO_3M$ and SO_3M , and, wherein, at least one R" is a sulfur-containing group, AO, independently of each other, represents C_2H_4O -, C_3H_6O - or C_4H_8O -, the indices x, y and z, independently of one another, are 0 or their sum has a value of from 1 to 500, M is a cation having at least one charge, and wherein if x, y or z is zero, its corresponding substituent R" is a hydrogen atom, and mixtures thereof.

Claim 38 (New): The process of claim 36, wherein, in formula (I) the product of n and m is a number from 10 to 100.

Claim 39 (New): The process of claim 36, wherein, in formula (I) the product of n and m is a number from 30 to 80.

Claim 40 (New): The process of claim 36, wherein, AO is exclusively C₂H₄O.

Claim 41 (New): The process of claim 36, wherein, AO is exclusively C₃H₆O.

Claim 42 (New): The process of claim 36 wherein the compound of formula (I) is present in the composition in an amount of from about 0.1 to 90% by weight, based on the weight of the composition.

Claim 43 (New): The process of claim 36 wherein the composition has a pH of from about 4 to 10.5, at a temperature of about 21°C.

Claim 44 (New): The process of claim 36 wherein the composition has a pH of from about 5 to 9, at a temperature of about 21°C.

Serial No. 10/826,646

Art Unit: 1751

Claim 45 (New): The process of claim 36 wherein the compound of formula (I) is present in the composition in an amount of from about 25 to 45% by weight, based on the weight of the composition.

Claim 46 (New): The process of claim 37, wherein, in formula (II) the sum of x + y + z is a number of from 10 to 100.

Claim 47 (New): The process of claim 37, wherein, the sum of x + y + z is a number of from 30 to 80.

Claim 48 (New): The process of claim 37, wherein, AO is exclusively C₂H₄O.

Claim 49 (New): The process of claim 37, wherein, AO is exclusively C₃H₆O.

Claim 50 (New): The process of claim 37 wherein the compound of formula (II) is present in the composition in an amount of from about 0.1 to 90% by weight, based on the weight of the composition.

Claim 51 (New): The process of claim 37 wherein the composition has a pH of from about 4 to 10.5, at a temperature of about 21°C.

Claim 52 (New): The process of claim 37 wherein the composition has a pH of from about 5 to 9, at a temperature of about 21°C.

Claim 53 (New): The process of claim 37 wherein the compound of formula (II) is present in the composition in an amount of from about 25 to 45% by weight, based on the weight of the composition.

Serial No. 10/826,646

Art Unit: 1751

Claim 54 (New): The process of claim 36 wherein the textile fibers comprise at least one member selected from the group consisting of wool fibers and cotton fibers.

Claim 55 (New): The process of claim 37 wherein the textile fibers comprise at least one member selected from the group consisting of wool fibers and cotton fibers.